



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5044418  
Dated/दिनांक : 14-06-2024

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	25-06-2024 16:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	25-06-2024 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Electronics And Information Technology
Department Name/विभाग का नाम	Department Of Electronics And Information Technology
Organisation Name/संगठन का नाम	Unique Identification Authority Of India (uidai)
Office Name/कार्यालय का नाम	Hq, New Delhi
Total Quantity/कुल मात्रा	42
Item Category/मद केटेगरी	Treadmill (V2) (Q3) , Cross Trainers (Q3) , Recumbent Bikes (Q3) , Multi Station Gym (V2) (Q3) , Smith Machine (Version 2) (Q3) , Multi Adjustable Bench (V2) (Q3) , Dumbbell Rack (Q3) , Barbell Rack (Vertical Barbell Holder) (Q4) , Olympic Bar (Version 2) (Q3) , Rubberized Weight Dumbbells (Q3) , Rubberized Weight Plates (Q3) , Swiss Gym Ball (Q4) , Medicine Ball (Q3)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Past Performance,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	50 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Single Packet Bid
Primary product category	Multi Station Gym (V2)

**Bid Details/बिड विवरण**

<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	3 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता	No
-------------------	----

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

**Splitting/विभाजन**

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the

Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Treadmill (V2) ( 2 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification	Type of Certification	Not Applicable
Generic	Display readout	Time, Speed, Distance, Incline, Calories, Pulse/Heart Rate
	<b>Console/Display Type</b>	LED/LCD Non-Touch (Keypad) Display
	Minimum number of programs	8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 9, 11, 13, 15, 17, 19 Or higher
Construction	<b>Power Drive Electricity</b>	AC
	<b>Motor Power</b>	5 hp

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Material and Dimension	<b>Material for frame</b>	Mild Steel
	<b>Material for side foot rail</b>	Mild Steel
	<b>Material for roller</b>	Mild Steel
	<b>Running Length (In inch)</b>	63 to 65
	<b>Running Width (In inch)</b>	24
Feature	Additional Features	Mp3 Connectivity
Warranty and Installation	<b>Warranty on Complete Unit (in Years)</b>	1, 2, 3, 4, 5 Or higher (year)
	<b>Motor Warranty (in Years)</b>	1, 2, 3, 4, 5 Or higher (year)
Test Report/Certification	Availability of test report from govt/ NABL/ILAC accredited lab covering all parameters	No
	Copies of all certifications and reports to be provided to buyer on demand at time of supplies	Not Applicable

#### Additional Specification Parameters - Treadmill (V2) ( 2 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty on Complete Unit (in Years)	Two Years for higher
Motor Warranty (in Years)	Five Years for higher
Speed	Twenty Five
Inclined level	Twenty
In build speaker	Yes

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Installation Commissioning and Testing (ICT) details for the above item:

% of Product Cost Payable on Product Delivery	70%
Min Cost Allocation for ICT as a % of product cost	30%
Number of days allowed for ICT after site readiness communication to seller	15 Days/दिन

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	2	15

**Cross Trainers ( 1 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Dimensional & Material Parameters	Pedal Length	15.0 (inch)
	Minimum Space between Foot Pedals	3.0 (inch)
	Stride Length	20.0 (inch)
	Height	52.0 (inch)
	Step-Up Height	9.0 (inch)
Specifications	Telemetry	Polar Telemetry (optional chest strap required)
	Colour	Arctic Silver
	Interchangeable Seat	No
	<b>Self Powered</b>	Yes
	Handlebars	Central fixed hand grips and moving handlebars
	<b>Connectivity with Watch/Mobile/Tablet</b>	No
Console Specifications	Integrated TV	NA
	Login	Manual input
	<b>Internet connectivity</b>	Wired Connectivity
	C-SAFE	NA
	RFID	No
	Attachable TV	NA
	<b>Display Type</b>	LED

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Bluetooth	NA
	Languages	Universal
	Telemetry HR	NA
	Display readouts	Speed, Incline, Heart rate (current, average, max), Time remaining, Time of day, Distance, Calories
	Navigation	tactile buttons
	<b>Display Size (inch)</b>	7
	TV controls	channel up/down
Additional Features	<b>Warranty Summary</b>	Frame Warranty :- 2 year
Certification	Manufacturer should have ISO certification for quality standards	Yes

#### Additional Specification Parameters - Cross Trainers ( 1 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Resistance Level	32
Internet connectivity	No

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	1	15

#### Recumbent Bikes ( 1 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Material & Dimensional Parameters	Height	138.0 (centimeter)
Specifications	Telemetry	Polar Telemetry (optional chest strap required)
	Colour	Black Onyx
	Interchangeable Seat	No
	Self Powered	Yes
	<b>Remote Resistance Controls</b>	No
	Handlebars	Deluxe Racing Handlebars, ergonomic design w/elbow support
	<b>Connectivity with Watch/Mobile/Tablet</b>	Yes
	Recline	Yes
Console Specifications	Integrated TV	NA
	Minimum download bandwidth requirement (to utilize all features)	Download: up to 8 units: 8 Mbps; 9+ units: 8 Mbps + 1 Mbps for each additional unit
	Login	Manual input
	Software updates	USB
	<b>Internet connectivity</b>	Wireless
	C-SAFE	NA
	Workouts	Time, distance, interval, aerobics, reverse, 2 speed interval, 3 speed interval (4 terrains per), Heart rate based: Moderate, fixed time, variable time, LF fitness test
	<b>Display Type</b>	LED
	Bluetooth	NA
	Languages	19
	Telemetry HR	Compatible with Polar and Bluetooth straps
	Display readouts	Speed, Incline, Heart rate (current, average, max), Pace, Elapsed time, Time remaining, Time in zone, Time of day, Distance, Distance climbed, Distance remaining, Calories, Calories / HR, Watts, METs
	Navigation	tactile buttons
	<b>Display Size (inch)</b>	22
	TV controls	volume up/down
Additional Features	<b>Warranty Summary</b>	6 months Surface Treatments and Expendable Items*

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification	Manufacturer should have ISO certification for quality standards	Yes
Test Reports	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes

#### Additional Specification Parameters - Recumbent Bikes ( 1 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Connectivity with Watch/Mobile/Tablet	No
Internet connectivity	NO
Languages	Not required
Warranty Summary	Two Years
Copies of reports and certifications to be furnished to buyer on demand at time of supplies	No

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	1	15

#### Multi Station Gym (V2) ( 1 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ



\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification	Type of Certification	Not Applicable
Generic	<b>Number of Stations in Multi-Gym</b>	4
	<b>Mandatory Exercises</b>	Lat Pull Down, Mid Row, Chest Press, Shoulder Press, Multi Press, Leg Curl, Leg Extension
	<b>Additional Exercise</b>	Leg Press, Pec Fly/Rear Delt, Functional Trainer, Leg Raise, Chin Dip
Frame Description	<b>Material of Frame</b>	Colled Rolled Mild Steel
	Pipe Shape	Oval
	<b>Thickness</b>	3 mm (12 gauge)
Construction	Shroud	One Side Half Shroud
	Grip Assemblies	Wide Grip
	Thickness of Seat (in inches)	<b>1.0 (inch)</b>
	Cushioning Type	Foam Padding
	Cushioning Material	Foam
	<b>Number of Weight Stacks to be Supplied along with the machine</b>	4
	<b>Weight of Each Stack (in kg)</b>	<b>75.0 (kilogram)</b>
Warranty	<b>Warranty on Frame</b>	7-year warranty on structural frame (coatings excluded)
	<b>Warranty of Bearing, Guide Rods, Pulleys and Cables (in years)</b>	1, 2, 3 Or higher <b>(year)</b>
Test Report	Availability Of Test Report From Central Govt/NABL/ILAC Accredited Lab To Prove Conformity To Specification	No
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Not Applicable

**Additional Specification Parameters - Multi Station Gym (V2) ( 1 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty	2 Years
Weight Stack	Iron

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Installation Commissioning and Testing (ICT) details for the above item:**

% of Product Cost Payable on Product Delivery	70%
Min Cost Allocation for ICT as a % of product cost	30%
Number of days allowed for ICT after site readiness communication to seller	15 Days/दिन

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	1	15

**Smith Machine (Version 2) ( 1 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification	Type of Certification	EN ISO 20957
Generic	<b>Type of Smith Machine</b>	Standard Smith Machine
Frame Description	<b>Material of Frame</b>	Colled Rolled Mild Steel
	Pipe Shape	Rectangular
	<b>Thickness</b>	3 mm (12 gauge)
Construction	Shroud	Not Applicable
	Cushioning Type	Foam Padding

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Cushioning Material	Foam
	<b>Maximum Weight Plate Load</b>	300.0 (kilogram)
	Knurling on Hand Grips	Knurling on two Positions
Dimension	Footprint Length (in cm)	100.0 (centimeter)
	Footprint Height (in cm)	150.0 (centimeter)
	Footprint Width (in cm)	200.0 (centimeter)
	<b>Vertical height between Bar Supports (in cm)</b>	15.0 (centimeter)
Warranty	<b>Warranty on Frame</b>	7-year warranty on structural frame (coatings excluded)
	<b>Warranty of Bearing, Guide Rods, Pulleys and Cables</b>	1 Year
Test Report	Availability Of Test Report From Central Govt/NABL/ILAC Accredited Lab To Prove Conformity To Specification	No
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Not Applicable

**Additional Specification Parameters - Smith Machine (Version 2) ( 1 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Cushioning Type	Not Required
Warranty	2 Years

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Installation Commissioning and Testing (ICT) details for the above item:**

% of Product Cost Payable on Product Delivery	70%
Min Cost Allocation for ICT as a % of product cost	30%
Number of days allowed for ICT after site readiness communication to seller	15 Days/दिन

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	1	15

**Multi Adjustable Bench (V2) ( 1 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification	Type of Certification	Not Applicable
Frame Description	<b>Material of Frame</b>	Colled Rolled Mild Steel
	Pipe Shape	Oval
	<b>Thickness</b>	16 gauge
Performance Parameters	Upholstery Material	Foam
	Seat pad adjustment	3 Position
	Back pad adjustment in degree	-15
	Provision of Dual rear transport wheels	Yes
	Provision of ABS rubber feet for floor protection	Yes
Warranty	<b>Warranty on Frame (in years)</b>	1, 2, 3, 4, 5 Or higher (year)
Test Report	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	No
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Not Applicable

**Additional Specification Parameters - Multi Adjustable Bench (V2) ( 1 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Specification Details	This is a power centre combo bench, where the length, height and width are approx. 55 cm,20 cm and 25 cm respectively. The weight of the bench should be approx. 50 kg
Warranty	5 years or higher

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Installation Commissioning and Testing (ICT) details for the above item:**

% of Product Cost Payable on Product Delivery	70%
Min Cost Allocation for ICT as a % of product cost	30%
Number of days allowed for ICT after site readiness communication to seller	15 Days/दिन

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	1	15

**Multi Adjustable Bench (V2) ( 1 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification	Type of Certification	Not Applicable
Frame Description	<b>Material of Frame</b>	Colled Rolled Mild Steel
	Pipe Shape	Oval
	<b>Thickness</b>	16 gauge

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	Upholstery Material	Foam
	Seat pad adjustment	3 Position
	Back pad adjustment in degree	-15
	Provision of Dual rear transport wheels	Yes
	Provision of ABS rubber feet for floor protection	Yes
Warranty	<b>Warranty on Frame (in years)</b>	1, 2, 3, 4, 5 Or higher <b>(year)</b>
Test Report	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	No
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Not Applicable

**Additional Specification Parameters - Multi Adjustable Bench (V2) ( 1 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Specification Details	This is a multi adjustable bench which has dimensions of length , width and height of approx. 160 cm, 53 cm and 122 cm respectively. The weight of the machine should be approx. 47 kg (max)
Warranty	5 years or higher

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Installation Commissioning and Testing (ICT) details for the above item:**

% of Product Cost Payable on Product Delivery	70%
Min Cost Allocation for ICT as a % of product cost	30%
Number of days allowed for ICT after site readiness communication to seller	15 Days/दिन

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	1	15

### Dumbbell Rack ( 1 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Construction	<b>Height</b>	90.0 (centimeter)
	Live Area	other
	<b>Type</b>	Three Tier Dumbbell Rack
	<b>Length</b>	158.0 (centimeter)
	Standard Frame Colors	Metallic Ash
	<b>Width</b>	50.0 (centimeter)
Specifications	<b>No. of Dumbbell(Pair) Rack accommodates, (2-25kg) dumbbells</b>	12
	<b>Max Capacity</b>	300.0 (kilogram)
Additional Features	<b>Warranty, Max</b>	10.0 (year)
	Features	Ability to position multiple dumbbell racks side to side
Certification	Manufacturer should have ISO certification for quality standards	Yes
Test Report	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	NA
	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	No

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	1	15

**Barbell Rack (Vertical Barbell Holder) ( 1 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Construction	<b>Frame Description</b>	Standard rubber feet protect base of the frame and prevent the machine from slipping; Urethane paint guards to protect paint; 10-12-gauge steel frame ensures maximum structural integrity; Each frame receives an electrostatic powder coat finish to ensure maximum adhesion and durability
	<b>Length</b>	75.0 (centimeter)
	<b>Material</b>	Stainless Steel
	<b>Maximum Capacity (Barbell)</b>	10.0 (kilogram)
	<b>Height</b>	60.0 (centimeter)
	<b>Type</b>	Pro Active Barbells Rack
	<b>No. of Barbells Accommodates</b>	12
	Bar Hole Diameter	2.0 (inch)
	<b>Live Area</b>	137cm x 135cm
	<b>Rack Weight</b>	30.0 (kilogram)
	Frame Colour	Black
	<b>Width</b>	50.0 (centimeter)
Additional Parameters	<b>Warranty</b>	1.0 (year)
	<b>Features</b>	Small Footprints



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certifications/Standards	<b>Certifications</b>	EN 957-1, 957-2
	Manufacturer should have ISO certification for quality standards	Yes
Test Report/Certification	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	NA
	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	No

**Additional Specification Parameters - Barbell Rack (Vertical Barbell Holder) ( 1 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
No. of Barbells Accommodates	9 (3-3-3)
Warranty	2 years

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	1	15

**Olympic Bar (Version 2) ( 5 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्ट क नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Olympic Bars	Olympic Bar
	Types of Olympic Bar according to shape	Olympic Weightlifting Bar
	Utility	Unisex
Construction	Outer ends Length (5 cm Dia for both sleeves)	41.5 cm
	Grip Section Diameter	2.8 cm
	Grip section Spaced (apart with non-knurled 0.5)	44.5 cm
	Rim Diameter (Min-Max)	7 cm
	Thickness of Olympic bar in mm	28 mm
Warranty	Warranty in years	1.0 (year)
Test Reports	Availability Of Test Report From Central Govt/NABL/ILAC Accredited Lab To Prove Conformity To Specification	No
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Not Applicable

**Additional Specification Parameters - Olympic Bar (Version 2) ( 5 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Olympic bars breakup of quantity	Length wise no.s i) 7 ft- 2 no.s ii) 4ft curl type - 1 no.s iii) 6ft - 1 no.s iv) 4ft - 1 no.s
Warranty	2 years

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	5	15

### Rubberized Weight Dumbbells ( 15 pairs )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Dimensional Parameters	Shape of dumbbells	Hexagonal
	Weight of dumbbells in Kg	5
	Dumbbells dimensions in cm	15
Performance Parameters	Dumbbells shall be rubber coated with steel inside	Yes
	Warranty in years	2
Reports	Availability of test report from govt/ NABL/ILAC accredited lab covering all parameters	Yes
	Copies of all certifications and reports to be provided to buyer on demand at time of supplies ,	Yes

#### Additional Specification Parameters - Rubberized Weight Dumbbells ( 15 pairs )

Specification Parameter Name	Bid Requirement (Allowed Values)
Breakup of quantity required	Refer the ACC uploaded with the bid for quantity and type breakup
Availability of test report from govt/ NABL/ILAC accredited lab covering all parameters	Not required

Specification Parameter Name	Bid Requirement (Allowed Values)
Copies of all certifications and reports to be provided to buyer on demand at time of supplies	Not required

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	15	15

**Rubberized Weight Plates ( 8 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* [As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Performance Parameters	<b>Plates shall be rubber coated with steel inside</b>	Yes
	<b>Warranty in years</b>	4
Dimensional and Material Parameters	<b>Weight of plates in Kg</b>	10
Reports	<b>Availability of test report from govt/ NABL/ILAC accredited lab covering all parameters</b>	Yes
	<b>Copies of all certifications and reports to be provided to buyer on demand at time of supplies ,</b>	Yes

**Additional Specification Parameters - Rubberized Weight Plates ( 8 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Availability of test report from govt/ NABL/ILAC accredited lab covering all parameters	Not Required
Copies of all certifications and reports to be provided to buyer on demand at time of supplies	Not Required

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	8	15

**Swiss Gym Ball ( 1 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Construction	<b>Thickness</b>	28.0 (millimeter)
	Colour	Blue
	<b>Standard Size</b>	85.0 (centimeter)
	<b>Material</b>	PVC
	<b>Maximum User Weight</b>	120.0 (kilogram)
Additional Parameters	Hand Pump	Yes
	Made from Recycle Product	Yes
Certifications/Standards	Manufacturer should have ISO certification for quality standards	Yes
Test Report/Certification	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Availability Of Test Report From Central Govt/Nabl/Ilac Accredited Lab To Prove Conformity To Specification	No

**Additional Specification Parameters - Swiss Gym Ball ( 1 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Not Required

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	1	15

**Medicine Ball ( 1 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Material	Natural Rubber

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Bladder</b>	Natural Rubber Bladder
	<b>Filling ( Inside Material )</b>	Sand
	<b>Weight ( kg )</b>	8kg
	<b>Diameter</b>	12cm
OTHER REQUIREMENTS	<b>Handle</b>	Without Handle
	<b>Surface Finish</b>	Smooth
Warranty	<b>Warranty</b>	1yr, 2yr Or higher

#### Additional Specification Parameters - Medicine Ball ( 1 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty	2 year or higher

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	1	15

#### Medicine Ball ( 1 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	<b>Material</b>	Natural Rubber

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Bladder</b>	Synthetic Natural Rubber Bladder
	<b>Filling ( Inside Material )</b>	Rubber filling
	<b>Weight ( kg )</b>	5kg
	<b>Diameter</b>	14cm
OTHER REQUIREMENTS	<b>Handle</b>	Without Handle
	<b>Surface Finish</b>	Smooth
Warranty	<b>Warranty</b>	1yr, 2yr Or higher

#### Additional Specification Parameters - Medicine Ball ( 1 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty	2 years Or higher

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	1	15

#### Medicine Ball ( 1 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	<b>Material</b>	Natural Rubber



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Bladder</b>	Natural Rubber Bladder
	<b>Filling ( Inside Material )</b>	Sand
	<b>Weight ( kg )</b>	3kg
	<b>Diameter</b>	12cm
OTHER REQUIREMENTS	<b>Handle</b>	Without Handle
	<b>Surface Finish</b>	Smooth
Warranty	<b>Warranty</b>	1yr, 2yr Or higher

#### Additional Specification Parameters - Medicine Ball ( 1 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty	2 years Or higher

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Shiva Ji Chaurasia	110001,4th Floor, UIDAI Headquarters, Bangla Sahib Road, Behind Kali Mandir, Gole Market, New Delhi	1	15

#### Buyer added Bid Specific Additional Scope of Work

S.No.क्र.सं.	Document Title	Description	Applicable/रिवर्स प्रभार के अनुसार जीएसटी i.r.o. Items
1	Additional Condition of Contract <a href="#">View</a>	Break-up of Hex Dumbells and Rubberized Weight Plates	Rubberized Weight Plates(8)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are

generalized and would not lead to any restrictive bidding.

## **Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

### **1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### **2. OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

### **3. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

### **4. Purchase Preference (Centre)**

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

### **5. Purchase Preference (Centre)**

Purchase Preference linked with Local Content (PP-LC) Policy:

The bid clause regarding "Preference to Make In India products" stands modified in this bid and shall be governed by the PPLC Policy No. FP-20013/2/2017-FP-PNG dated 17.11.2020 issued by MoP&NG as amended up to date. Accordingly, bidders with Local Content less than or equal to 20% will be treated as "Non Local Supplier". The prescribed LC shall be applicable on the date of Bid opening. Sanctions on the bidders for false / wrong declaration or not fulfilling the Local Content requirement shall be as per the PPLC policy. Further following additional provisions are added in the certification and verification of local content provision of the Preference to Make in India clause:

- i. In case of foreign bidder, certificate from the statutory auditor or cost auditor of their own office or subsidiary in India giving the percentage of local content is also acceptable. In case office or subsidiary in India does not exist or Indian office/subsidiary is not required to appoint statutory auditor or cost auditor, certificate from practicing cost accountant or practicing chartered accountant giving the percentage of local content is also acceptable.
- ii. Along with Each Invoice: The local content certificate (issued by statutory auditor on behalf of procuring company) shall be submitted along with each invoice raised. However, the % of local content may vary with each invoice while maintaining the overall % of local content for the total work/purchase of the pro-rata local content requirement. In case, it is not satisfied cumulatively in the invoices raised up to that stage, the supplier shall indicate how the local content requirement would be met in the subsequent stages.
- iii. The bidder shall submit an undertaking from the authorized signatory of bidder having the Power of Attorney along with the bid stating the bidder meets the mandatory minimum LC requirement and

such undertaking shall become a part of the contract.

#### 6. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 7. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

#### 8. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 9. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Aadhaar Housing Complex  
Near BJP Central Office (Extended)  
Deen Dayal Upadhyay Marg  
New Delhi  
02  
.

#### 10. **Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

#### 11. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 5 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

#### 12. **Inspection**

**Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER):** Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.

When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

#### 13. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site

warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

## **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**

