



**Government of India**  
**Ministry of Electronics & Information Technology(MeitY)**  
**UNIQUE IDENTIFICATION AUTHORITY OF INDIA**  
Technology Division



**File Number:** T-11014/10/2017-Tech

**Date:** 05.09.2017

**Reference :** Tender No. T-11014/10/2017-Tech dated 01.08.2017

**Corrigendum 2 to Tender No. T-11014/10/2017-Tech dated 02.08.2017**

<b>S. No.</b>	<b>Clause No.</b>	<b>RFP Page No.</b>	<b>Clause as per RFP</b>	<b>Modified Clause</b>
1	6.8.1& 6.8.2 (1)	130 & 135	Addition to specification already mentioned	RPM of SAS HDD – 15 K / 10 K
2	6.8.1 (26)	133	The storage system must be supplied with hardware controller based Data-at rest-encryption and key management solution	The storage system must be supplied with hardware <b>SAN</b> controller based Data-at rest-encryption and key management solution
3	6.8.2 (26)	138	The storage system must be supplied with hardware controller based Data-at rest-encryption and key management solution	The storage system must be supplied with hardware <b>SAN</b> controller based Data-at rest-encryption and key management solution
4	6.8.1 & 6.8.2 (32)	133 & 138	The storage system must support Heterogeneous / 3rd Party Storage Virtualization	The storage system must support Heterogeneous / 3rd Party Storage Virtualization.  Virtualization Product / License is not required. But the system/hardware should support virtualization without any additional cost on the hardware
5	2.27(3)	42	In this phase, the Commercial	In this phase, the Commercial Bids



**Government of India**  
**Ministry of Electronics & Information Technology(MeitY)**  
**UNIQUE IDENTIFICATION AUTHORITY OF INDIA**  
Technology Division



S. No.	Clause No.	RFP Page No.	Clause as per RFP	Modified Clause
			Bids of the Bidders, who are technically qualified in Phase I, shall be opened. The Commercial Bid should contain the total price, both COST OF EQUIPMENT and post warranty AMC of all Goods/ Services, comprising of all equipment as mentioned in Annexure 4.2.3 to Annexure 4.2.5 of Section IV, proposed to be charged by the Bidder. Bidder to make sure that quoted cost of AMC is as per clause 2.9(5) . If quoted cost of AMC is not as per clause 2.9(5), bid will be summarily rejected.	of the Bidders, who are technically qualified in Phase I, shall be opened. The Commercial Bid should contain the total price, both COST OF EQUIPMENT and post warranty AMC of all Goods/ Services, comprising of all equipment as mentioned in Annexure 4.2.3 to Annexure 4.2.5 of Section IV, proposed to be charged by the Bidder. Bidder to make sure that quoted cost of AMC is as per clause 2.9(5) . If quoted cost of AMC is not as per clause 2.9(5), bid will be summarily rejected, <b>even after completion of entire bid process.</b>
6	2.27	44	New sub clause No. 11 added after sub clause 10	<b>Evaluation of Phase II (commercial evaluation) shall be done after completion of Phase III (Reverse auction process).</b>

The other terms and conditions of the bid document will remain the same.

sd-  
ADG (Tech)